


VALVES DESIGNED TO SUIT EITHER
DIN PN10/16 & ASME B16.5 150 Lbs.
(ANY OTHER STANDARD ON REQUEST)

(*) ONLY FOR VALVES ≥ DN 100 - 4"

POS.	QTY.	DENOMINATION	MATERIAL
1	1	UPPER BODY	CARBON STEEL ASTM A 216 - WCB / CATAPHORESIS
2	1	LOWER BODY	CARBON STEEL ASTM A 216 - WCB / CATAPHORESIS
3	1	DISC & SHAFT	STAINLESS STEEL ASTM A 747 / CB7/Cu-1
4	1	LABEL WITH FEATURES	PVC
5	1	LINER ISOTACTICALLY MOULDED	PTFE 3mm THICK
6	2	ENERGIZER RUBBER	SILICONE
7	2	PUSHER	STAINLESS STEEL ASTM A 351 - CF8M
8	8	DISC SPRING DACROMET COATED (DIN-2093)	STEEL / DACROMET®
9	2	BUSHING DU	STEEL / PTFE
10	1	BUSHING DU (*)	STEEL / PTFE
11	2	O-RING	VITON
12	2	O-RING	VITON
13	2	O-RING	VITON
14	4	SCREW (DIN-912)	STAINLESS STEEL
15	8	WASHER (DIN-6798/A)	STAINLESS STEEL
16	4	NUT (DIN-934)	STAINLESS STEEL
17	1	GEARBOX	CAST IRON EPOXY PAINTED
18	4	SCREW (DIN - 912)	STAINLESS STEEL
19	4	WASHER (DIN - 6798/A)	STAINLESS STEEL
20	2	PAD	SILICONE

NOMINAL DIAMETER	VALVE GENERAL DIMENSIONS	ACTUATOR GENERAL DIMENSIONS										TURNS AT 90°	WEIGHT (Kg)	"Q"
		A	B	Ø C	E	J	K	L	M	N	O			
50 2"	135 57 95 43 27 29 69	135	40	124	160	43	10	5.4	27.4					
65 2½"	145 63 114 46 27 29 69	135	40	124	160	43	10	6	46.6					
80 3"	159 66 132 46 27 29 69	135	40	124	160	43	10	6.8	66.1					
100 4"	175 104 152 52 27 29 69	135	40	124	160	43	10	8.8	85.5					
125 5"	190 116 163 56 27 29 69	135	40	124	160	43	10	8.8	110					
150 6"	203 131 207 56 29 36 59	139	51	187	200	52	9.25	14.9	140.3					
200 8"	240 160 260 60 29 36 59	139	51	187	200	52	9.25	19.8	188.7					
250 10"	275 198 327 68 29 36 59	139	51	198	250	52	9.25	32	237.5					
300 12"	310 232 376 78 29 36 59	139	51	198	250	52	9.25	43.2	286.6					


VAMEIN
 de España, S.A.

SET: GALACTIC BUTTERFLY VALVE 600 SERIES DN 50 - 300 (2" - 12")
 DENOMINATION: WAFER TYPE
 DRAWING NUMBER: WST-005
 REV: 00
 DATE: 17-11-15
 ACTUATOR: GEARBOX
 SCALE: SEE TABLE

DESIGNED BY: J.J.G.
 CHECKED BY: A.S.M.
 APPROVED BY: V.A.G.

REF.: S.621RST/05
 WEIGHT (Kg): SEE TABLE

Bench marks in mm. VAMEIN DE ESPAÑA, SA. reserves the right to make changes without notice.